
























ردیف	شرح	نمای محصول	قیمت
IP Surveillance & Solution			
۱	KGuard CMS-2000 Server Hardware Multi-Site & monitoring, Hybrid system integration platforms Video Conference, E-MAP MULTI levels, web - based interface, PTZ Control & Multi-view over IEE security, Providing 24 hour remote video monitoring in a day		۱۷,۵۰۰,۰۰۰
۲	KGuard CMS 1000 PRO Software Designed (singlesite), 128 chs cameras central monitoring, interface, E-MAP MULTI levels. PTZ control with Kguard entire series DVR, Event List		۱۲,۰۰۰,۰۰۰
۳	KGuard KG Access Control Keeper II web-based server with full remote management capability, Online Monitoring , System Usage Log List, General Raw Data Download, Remote Door Control, User Friendly		۵,۲۰۰,۰۰۰
۴	KGuard Backup Center Storage capacity monitoring, Centralized Remote Backupsolution, Efficient Data Management, System & Efficient Data, Retrieval, Smart Event Data Search, Time Specified Data Search		۱۲,۰۰۰,۰۰۰
۵	KG IVS SOFTWARE (904A) Smart Monitoring Intelligent Video Analyze with 6 different applications		۷,۴۰۰,۰۰۰
۶	KGuard AC KEPPER II Server Web- based Interface, Remote Site management, Universal Access, Time & Attendance, Interating with DVR System, Embedded in Mobile DVR, Smart application functions		۱۷,۵۰۰,۰۰۰
۷	KGuard NVR 200 PRO Network Video Recorder (NVR 16 chs Pro) Software only		۲,۸۰۰,۰۰۰
۸	KGuard NVR 200 Standard Network Video Recorder (NVR 16 chs Pro) Software only		۱,۴۰۰,۰۰۰
۹	KGuard NVR 300 PRO Network Video Recorder (NVR 16 chs Pro) Software only		۳,۷۰۰,۰۰۰

10	KGuard NVR 300 PRO Network Video Recorder (NVR 32 chs Pro) Software only		
11	KGuard NVR 300 Standard Network Video Recorder (NVR 16 chs Pro) Software only		

CCTV Camera IP_ Speed Dome

12	KGuard ISP-236SO Outdoor IP - Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		16,500,000
13	KGuard ISP-226SO Outdoor IP - Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		15,500,000
14	KGuard ISP-218SO Outdoor IP - Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		15,000,000
15	KGuard ISP-236SO-T Auto Objet Tracking Outdoor IP - Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		18,500,000
16	KGuard ISP-226SO-T Auto Objet Tracking Outdoor IP - Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		17,500,000
17	KGuard ISP-218SO-T Auto Objet Tracking Outdoor IP - Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		17,000,000
18	KGuard ISP-236SI Outdoor IP - Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		16,200,000
19	KGuard ISP-226SI Outdoor IP - Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		15,200,000
20	KGuard ISP-218SI Outdoor IP - Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		14,800,000




۲۱	KGuard ISP-236SI-T Auto Object Tracking Outdoor IP - Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۸,۲۰۰,۰۰۰
۲۲	KGuard ISP-226SI-T Auto Object Tracking Outdoor IP - Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۷,۲۰۰,۰۰۰
۲۳	KGuard ISP-218SI-T Auto Object Tracking Outdoor IP - Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۶,۸۰۰,۰۰۰
CCTV Camera IP Solution			
۲۴	KGuard IB-201SP IP-Box Type Standard Color Box (540TVL) 1/3 Sony super HAD CCD/ H.264/540TVL, C/CS Ring lens ICR/ DIDO/ PoE/ Indoor Use, 2way-Audio, Bracket Optional		۴,۶۰۰,۰۰۰
۲۵	KGuard IU200SP-6 IP-IR Type Weatherproof Camera, 25MFixed (420TVL) 1/3 Sony super HAD CCD/ H.264, Lens: 6.0mm fixed lens POE/ IR LED 8Ø IR LED x 14pcs, IR Distance 25 meter/DIDO/ IP66		۳,۵۰۰,۰۰۰
۲۶	KGuard ISP-3652-16 IR Type Weatherproof IP Camera, (420TVL) 1/3" Sony Super HAD CCD, 16mm Lens, 35 IR LED's Visibility Range: 50 meter		۳,۲۰۰,۰۰۰
۲۷	KGuard ISP-3654-16 IR Type Weatherproof IP Camera, (520TVL) 1/3" Sony Super HAD CCD, 16mm Lens, AGC, 35 IR LED's Visibility Range: 50 meter		۴,۰۰۰,۰۰۰
۲۸	KGuard ISP-3015 Dome Type Vari-Focal IP Camera, (480TVL) 1/3" Sony Super HAD CCD, 3.7-12mm Auto Iris Lens, AGC,AWB, BLC, EE, 2-Axis, 120mm dome size,		۵,۰۰۰,۰۰۰
۲۹	KGuard ISP-3811 Dome Type IR Vandal IP Camera, (420TVL) 1/3"Sony Super HAD CCD, 6mm Lens, AGC, AWB, BLC, EE, 120mmdomesize, 23 IR LED's Visibility Range: 15 meter		۲,۷۰۰,۰۰۰
۳۰	KGuard ISP-550 Dome Type IR Vari-Focal ,Vandal IP Camera (550TVL) SONY 1/3" Hi-Res HAD CCD sensor; VANDAL PROOF IR DOME CAMERA VF 3.7~12mm (ICR), LED:24 LEDs		۴,۶۰۰,۰۰۰
۳۱	KGuard IMM2605-6 IP-IR Type Weatherproof Camera, 30MFixed (1.3Mega pixel) Video Encoder H.264, MPEG4 and Motion JPEG simultaneously (Tri-encoders) IR30M (High-Light LED 56pcs), PoE/ IP66 / 2way-Audio/DIDO		۵,۰۰۰,۰۰۰

۳۲	KGuard IMM2304 IP-Vandal PT Dome Camera (1.3Mega pixel) Video Encoder H.264, MPEG4 and Motion JPEG simultaneously (Tri-encoders) Lens (f:4.3mm F:1.8)/ Pan Degree 355° ; Tilt Degree -10~90° PoE/2way-Audio/ Vandal Proof/DIDO		۲,۶۰۰,۰۰۰
۳۳	KGuard IMM2203 IP-IR Type Weatherproof Camera, 30MFixed (1.3Mega pixel) 1.3Mega pixel Progressive Sensor/ H.264, 3.7-12mm/ Varicocal Lens F1.4~F2.8 DIDO/ PoE/ IP66 / 2way-Audio/ Vandal Proof		۲,۰۰۰,۰۰۰
۳۴	KGuard IMM2202 IP-IR Type Weatherproof Camera, 30MFixed (1.3Mega pixel) Video Encoder H.264, MPEG4 and Motion JPEG simultaneously (Tri-encoders) Lens (f:4.3/ F:1.8)/PoE/ Indoor/ 2way-Audio/DIDO		۲,۶۵۰,۰۰۰
۳۵			

CCTV Camera Speed Dome

۳۶	KGuard SSP-236SO Outdoor Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۳,۸۰۰,۰۰۰
۳۷	KGuard SSP-226SO Outdoor Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۲,۸۰۰,۰۰۰
۳۸	KGuard SSP-218SO Outdoor Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۲,۳۰۰,۰۰۰
۳۹	KGuard SSP-236SO-T Auto Objet Tracking Outdoor Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۵,۸۰۰,۰۰۰
۴۰	KGuard SSP-226SO-T Auto Objet Tracking Outdoor Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۴,۸۰۰,۰۰۰
۴۱	KGuard SSP-218SO-T Auto Objet Tracking Outdoor Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۴,۳۰۰,۰۰۰
۴۲	KGuard SSP-236SI Outdoor Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۳,۵۰۰,۰۰۰

۴۳	KGuard SSP-226SI Outdoor Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۲,۵۰۰,۰۰۰
۴۴	KGuard SSP-218SI Outdoor Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۲,۰۰۰,۰۰۰
۴۵	KGuard SSP-236SI-T Auto Objet Tracking Outdoor Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۵,۵۰۰,۰۰۰
۴۶	KGuard SSP-226SI-T Auto Objet Tracking Outdoor Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۴,۵۰۰,۰۰۰
۴۷	KGuard SSP-218SI-T Auto Objet Tracking Outdoor Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۴,۰۰۰,۰۰۰
۴۸	KGuard SSP-236SC Ceiling Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۳,۵۰۰,۰۰۰
۴۹	KGuard SSP-226SC Ceiling Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۲,۵۰۰,۰۰۰
۵۰	KGuard SSP-218SC Ceiling Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, 24VAC		۱۱,۵۰۰,۰۰۰
۵۱	KGuard SSP-236SC-T Auto Objet Tracking Ceiling Speed Dome 36X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۵,۵۰۰,۰۰۰
۵۲	KGuard SSP-226SC-T Auto Objet Tracking Ceiling Speed Dome 26X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۴,۵۰۰,۰۰۰
۵۳	KGuard SSP-218SC-T Auto Objet Tracking Ceiling Speed Dome 18X Optical Zoom (480TVL), 1/4" Sony EX-view HAD CCD, D&N(Day&Night), (Bracket Optional) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, 24VAC		۱۳,۵۰۰,۰۰۰

۵۴	KGuard TSN-320IR Indoor Mini PT Dome IR Camera (420 TVL), 1/3" Sony Super HAD CCD, PT Dome (Pan 355, tilt 90), 32 preset point, with I/O, IR 15M		۳,۵۰۰,۰۰۰
۵۵	KGuard TSN-320 Indoor Mini PT Dome Camera (420 TVL), 1/3" Sony Super HAD CCD, PT Dome (Pan 355, tilt 90), 32 preset point,		۳,۲۰۰,۰۰۰
۵۶	KGuard TSN-330 Indoor Mini PT Dome Camera (480 TVL), 1/3" Sony Super HAD CCD, PT Dome (Pan 355, tilt 90), 32 preset point,		۳,۷۰۰,۰۰۰
۵۷			
۵۸			
۵۹			










CCTV Camera Box Type










۶۰	KGuard ZSP-2720 Zoom Type, 27x Optical Power Zoom Lens, (420TVL) 1/4"Sony Super HAD CCD, Day&Night, Lux 0.8, Focus (AF/MF), OSD,RS-485 (Pelco-D), AGC,AWB, 3.9 to 97.2.8mm Auto Iris Exposure, BLC On/Off , 12VDC,		۱,۷۵۰,۰۰۰
۶۱	KGuard ZSP-2730 Zoom Type, 27x Optical Power Zoom Lens, (480TVL) 1/4"Sony Super HAD CCD, Day&Night, Lux 0.8, Focus (AF/MF), OSD,RS-485 (Pelco-D), AGC,AWB, 3.9 to 97.2.8mm Auto Iris Exposure, BLC On/Off , 12VDC,		۲,۲۰۰,۰۰۰
۶۲	KGuard CSP-2120 Box Type Day & Night Color (420TVL) 1/3"Sony Ex view HAD CCD,C/CSLensMount, Lux 0.03, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		۱,۲۵۰,۰۰۰
۶۳	KGuard CSP-2130 Box Type Day & Night Color (480TVL) 1/3"Sony Ex view HAD CCD,C/CSLensMount, Lux 0.03, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		۱,۵۵۰,۰۰۰
۶۴	KGuard CSP-3120 Box Type Standard Color Box (420TVL) 1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.8, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		۷۵۰,۰۰۰












٦٥	KGuard CSP-3120A With Audio Box Type Standard Color Box (420TVL) 1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		٨٥٠,٠٠٠
٦٦	KGuard CSP-3130 Box Type Standard Color Box (480TVL) 1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		١,١٠٠,٠٠٠
٦٧	KGuard CSP-3130A With Audio Box Type Standard Color Box (480TVL) 1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		١,٢٠٠,٠٠٠
٦٨	KGuard CSP-3140 Box Type Standard Color Box (520TVL) 1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		١,٢٥٠,٠٠٠
٦٩	KGuard CSP-6120 Box Type Standard B&W Box (480TVL) 1/3" Sony B&W CCD, C/CS LensMount, Lux 0.03, ALC (Video/DC), AGCOn (Low) /Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off		٩٠٠,٠٠٠
٧٠	KGuard Camera DIY KIT KG-DIY-A-S 1/3" SONY CCD 420 TV lines Color Dome Camera X 2 pcs 1/3" SONY CCD 420 TV lines IR 20 M Camera X 2 pcs, With bracket Slim Type camera - 15 M X 4 pcs, BNC to RCA X 4 pcs & Adapter		٣,٤٠٠,٠٠٠
٧١	KGuard Camera DIY KIT KG-DIY-B-S 1/3" SONY CCD 420 TV lines IR 20 M Camera X 2 pcs, With bracket Slim Type camera - 15 M X 4 pcs, BNC to RCA X 4 pcs & Adapter		٣,٧٥٠,٠٠٠
CCTV Camera Dome & Specialty			
٧٢	KGuard CSP-3242-3 Dome Type Color Indoor Camera, (420TVL) 1/3" Sony Super HAD CCD, 3.6mm Fixed Lens, Lux 0.8, AGC,AWB, BLC, EE, 100mm dome size,		٩٥٠,٠٠٠
٧٣	KGuard CSP-3252-49 Dome Type Vari-Focal Indoor Camera, (420TVL) 1/3" Sony Super HAD CCD, 4-9mm Auto Iris Lens , Lux 0.1, AGC,AWB, BLC, EE, 2-Axis, 150mm dome size,		١,١٥٠,٠٠٠
٧٤	KGuard CSP-3254-49 Dome Type Vari-Focal Indoor Camera, (520TVL) 1/3" Sony Super HAD CCD, 3-9mm Auto Iris Lens, Lux 0.05, AGC,AWB, BLC, EE, 2-Axis, 150mm dome size,		١,٤٥٠,٠٠٠
٧٥	KGuard CSP-3262-3B Dome Type Infrared Indoor Camera, (420TVL) 1/3" Sony Super HAD CCD, 3.6mm Lens, AGC, AWB, BLC, EE, 120mm dome size, 18 IR Led's Visibility Range: 15-20 meter		٧٠٠,٠٠٠





۷۶	KGuard CSP-3522-3 Dome Type IR Vandal Camera, (420TVL) 1/3"Sony Super HAD CCD, 3.6mm Lens, AGC, AWB, BLC, EE, 120mmdomesize, 23 IR LED's Visibility Range: 20 meter		۸۰۰,۰۰۰
۷۷	KGuard CSP-3524-3 Dome Type IR Vandal Camera, (520TVL) 1/3"Sony Super HAD CCD, 3.6mm Lens, AGC, AWB, BLC, EE, 120mmdomesize, 23 IR LED's Visibility Range: 20 meter		۱,۲۰۰,۰۰۰
۷۸	KGuard CSP-3532-49 Dome Type IR Vandal&Vari Focal Camera, (420TVL) 1/3"Sony Lens Super HAD CCD, 4-9mm Lens, AGC, AWB, BLC, EE, 120mm dome size 36 IR LED's, Vari- focal Visibility, Range: 30 meter		۱,۲۵۰,۰۰۰
۷۹	KGuard CSP-3534-49 Dome Type IR Vandal&Vari Focal Camera, (520TVL) 1/3"Sony Lens Super HAD CCD, 4-9mm Lens, AGC, AWB, BLC, EE, 120mm dome size 36 IR LED's, Vari- focal Visibility, Range: 30 meter		۱,۲۵۰,۰۰۰
۸۰	KGuard CSP-3231-3P Specialty Type Smoke Detector Camera, (420TVL) 1/3" Sony Color CCD Sensor , 3.6mm Pinhole Lens, Lux 0.8, AGC,AWB, BLC, EE, 120mm dome size,		۶۰۰,۰۰۰
۸۱	KGuard CSP-3232-3 Specialty Type Smoke Detector Camera, (420TVL) 1/3" Sony Color CCD Sensor , 3.6mm Pinhole Lens, Lux 0.8, AGC,AWB, BLC, EE, 120mm dome size,		۶۵۰,۰۰۰
۸۲	KGuard CHP-5321-3P Specialty Type Miniature Metal Case, (420TVL) 1/4" SHARP Color CCD Camera with Audio, 3.7mm Pinhole Lens, Built-in Microphone		۵۰۰,۰۰۰
۸۳	KGuard CSP-3320-3 Specialty Type Miniature Metal-Case, (420TVL) 1/3" Sony Color CCD Sensor 3.6mm Board Lens, Installed board lens		۶۰۰,۰۰۰
۸۴	KGuard CHP-5710 Specialty Type Weatherproof Bullet CCD, (420TVL) 1/4" Sharp CCD, 3.6mm Lens, Lux 1.0,AGC, AWB, BLC, EE, Weatherproof, 68mm X 27mm size w/ Bracket		۵۵۰,۰۰۰
CCTV CAMERA – IR Weatherproof Type			
۸۵	KGuard CSP-3622-3 IR Type Weatherproof Camera, (420TVL) 1/3" Sony Super HAD CCD, 3.6mm Lens, AGC,AWB,BLC,EE, 24 IR LED's Visibility Range: 20 meter		۸۲۰,۰۰۰
۸۶	KGuard CSP-3624-3 IR Type Weatherproof Camera, (520TVL) 1/3" Sony Super HAD CCD, 3.6mm Lens, AGC,AWB,BLC,EE, 24 IR LED's Visibility Range: 20 meter		۱,۳۰۰,۰۰۰




87	KGuard CSP-3642-6 IR Type Weatherproof Camera, (420TVL) 1/3" Sony Super HAD CCD, 6mm Lens, AGC,AWB,BLC,EE, 54 IR LED's Visibility Range: 40 meter		1,000,000
88	KGuard CSP-3642-49V IR Type Weatherproof Camera, (420TVL) 1/3" Sony Super HAD CCD, 4.9mm VARI FOCAL Lens, AGC,AWB,BLC,EE, 36 IR LED's Visibility Range: 40 meter		1,300,000
89	KGuard CSP-3644-6 IR Type Weatherproof Camera, (520TVL) 1/3" Sony Super HAD CCD, 6mm Lens, AGC,AWB,BLC,EE, 54 IR LED's Visibility Range: 40 meter		1,600,000
90	KGuard CSP-3644-49V IR Type Weatherproof Camera, (520TVL) 1/3" Sony Super HAD CCD, 4.9mm VARI FOCAL Lens, AGC,AWB,BLC,EE, 36 IR LED's Visibility Range: 40 meter		1,950,000
91	KGuard CSP-3652-16 IR Type Weatherproof Camera, (420TVL) 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 35 IR LED's Visibility Range: 50 meter		1,200,000
92	KGuard CSP-3654-16 IR Type Weatherproof Camera, (520TVL) 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 35 IR LED's Visibility Range: 50 meter		1,850,000
93	KGuard CSP-3682-16 IR Type Weatherproof Camera, (420TVL) 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 12 IR LED's Visibility Range: 80 meter		2,100,000
94	KGuard CSP-3684-16 IR Type Weatherproof Camera, (520TVL) 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 12 IR LED's Visibility Range: 80 meter		2,650,000
95			
Standalone DVR			
96	KGuard KG-SH120 Standalone DVR (Video 4, Audio 1 Cha)-(Display 100, Recording 100fps) H.264 Recording,, Smart Search, Integrated, HDD 2 x 500Gb SATA sup 10/100 base T Ethernet, USB Back UP, VGA Output sup		3,500,000
97	KGuard KG-SH122 Standalone DVR (Video 4, Audio 1 Cha)-(Display 100, Recording 100fps) H.264 Recording,, Smart Search, Integrated, HDD 2 x 500Gb SATA sup 10/100 base T Ethernet, USB Back UP, VGA Output sup		3,700,000

98	KGuard KG-SH322 Standalone DVR (Video 9, Audio 4 Cha)-(Display 200, Recording 200fps) H.264 Recording,, Smart Search, Integrated, HDD SATA sup 10/100 base T Ethernet, USB Back UP, VGA Output sup (Optional DVDRW)		7,500,000
99	KGuard KG-SH330 Standalone DVR (Video 9, Audio 4 Cha)-(Display 200, Recording 200fps) H.264 Recording,, Smart Search, Integrated with POS & GPSMain, 10/100 base T Ethernet,SD CARD OR USB Back UP VGA Output sup		9,000,000
100	KGuard KG-SH522 Standalone DVR (Video 16, Audio 4 Cha)-(Display 200, Recording 200fps) H.264 Recording,, Smart Search, Integrated, HDD SATA sup 10/100 base T Ethernet, USB Back UP, VGA Output sup (Optional DVDRW)		8,700,000
101	KGuard KG-SH530 Standalone DVR (Video 16, Audio 4 Cha)-(Display 400, Recording 200fps) H.264 Recording,, Smart Search, Integrated with POS & GPSMain, 10/100 base T Ethernet,SD CARD OR USB Back UP VGA Output sup		10,000,000
102	KGuard Combo Kit KG-DIY-A-S-SH122 Standalon DVR SH120 4Chanel Real Time Camera CSP-3242-3 X 2 + CSP-3622-3 X 2 With bracket Camera Slim Type 15 M X 4 pcs, BNC to RCA X 4 pcs & Adapter		7,000,000
103	KGuard Combo Kit KG-DIY-B-S-SH122 Standalon DVR SH120 4Chanel Real Time Camera CSP-3622-3 X 4 With bracket Camera Slim Type 15 M X 4 pcs, BNC to RCA X 4 pcs & Adapter		7,350,000
104	KGuard KG-SH132M Standalone DVR Car (Video 4, Audio 2 Cha)-(Display 100, Recording 100fps) H.264 Recording,, Smart Search, Integrated, GPSMain, HDD 500Gb SATA sup 10/100 base T Ethernet,SD CARD OR USB Back UP VGA Output sup		7,600,000
105	KGuard GPS Receiver : GR-213 GPS receiver +GPS-Y-Cable for GPS position tracking		1,000,000
106	KGuard GSM-350WH GSM-350WH GSM Router for online monitoring		6,000,000
107			
Embedded DVR System			
108	KGuard P3200-2480D Embedded DVR System (V16-A16) Ch (D400-R400 fps) Resolution:D1, Half D1, CIF, MPEG-4 Like Software Compression, OS: Windows XP Embedded OS License(DOM), P4 Intel Core 2 Duo E2160 LGA 775, 2Gb, Industrial 4U Size,		25,600,000


1.8	KGuard P3200-3480D Embedded DVR System (V16-A16) Ch (D400-R400 fps) Resolution:D1, Half D1, CIF, H.264Hardware Compression, OS: Windows XP Embedded OS License(DOM), P4 Intel Core 2 Duo E6400 LGA 775, 2Gb, Industrial 4U Size,		28,700,000
1.9	KGuard P3200-3480H Embedded DVR System (V32-A32) Ch (D800-R800 fps) Resolution:D1, Half D1, CIF, H.264Hardware Compression, OS: Windows XP Embedded OS License(DOM), P4 Intel Core 2 Duo E6400 LGA 775, 2Gb, Industrial 4U Size,		40,000,000
110	KGuard P6000-2480D Hot-Swap DVR System (V16-A16) Ch (D400-R400 fps) 14hot-swappable SATA HDD for data storage, Resolution:D1, Half D1, CIF, MPEG-4 Like Software Compression, OS: Windows XP Embedded		75,000,000
111	KGuard P6000-3480D Hot-Swap DVR System (V16-A16) Ch (D400-R400 fps) 14hotswappable SATA HDD for data storage, Resolution:D1, Half D1, CIF, H.264Hardware Compression, OS: Windows XP Embedded OS Lic		78,500,000
111	KGuard P6000-3480H Hot-Swap DVR System (V32-A32) Ch (D800-R800 fps) 14 hot-swappable SATA HDD for data storage, Resolution:D1, Half D1, CIF, H.264Hardware Compression, OS: Windows XP, Embedded OS		90,000,000
112	KGuard KB-2000 (3A) LCD Display and Joystick control (3-axis) Menu driven user configuration, password protected, Max distance up to 500m. Controls up to 256 DVR or Speed Dome, via RS485 connection.		4,700,000
113	KGuard VSW1312 (Built WLAN) 1 ch Video Server + bundle 16 CHS NVR software Video Server Real Time MPEG-4 Compression (Dual Codec) in all resolutions		2,950,000
113	KG IVS IPC SERVER (904A) IVS SERVER DVR (Video 4, Audio 4 Cha)-(Display 100, Recording 100fps) MPEG-4 Recording, Smart Monitoring Intellgent Video Analyze with 6 different applications		25,000,000
114			
115			
DVR Capture Card			
116	KGuard KG-901A DVR CaptureCard (Video 4, Audio 1 Cha)-(Display 25, Recording 25fps) Interface: PCI, ADC: 9bit, Resolution: D1, Half D1, CIF, MPEG4, 4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)		950,000

117	KGuard KG-902A DVR CaptureCard (Video 4, Audio 2 Cha)-(Display 50, Recording 50fps) Interface: PCI, ADC: 9bit, Resolution: D1, Half D1, CIF, MPEG4, 4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)		1,450,000
118	KGuard KG-904A DVR CaptureCard (Video 4, Audio 4 Cha)-(Display 100, Recording 100fps) Interface: PCI, ADC: 9bit, Resolution: D1, Half D1, CIF, MPEG4, 4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)		2,000,000
119	KGuard KG-904B DVR CaptureCard (Video 8, Audio 4 Cha)-(Display 100, Recording 100fps) Interface: PCI, ADC: 9bit, Resolution: D1, Half D1, CIF, MPEG4, 4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)		2,300,000
120	KGuard KG-908 DVR CaptureCard (Video 8, Audio 8 Cha)-(Display 200, Recording 200fps) Interface: PCI-E, ADC: 9bit, Resolution: CIF/D1,MPEG4, 4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)		4,600,000
121	KGuard KG-2240 DVR CaptureCard (Video 16, Audio 16 Cha)-(Display 400, Recording 200fps) Interface:PCI, ADC: 10bit, TVout: yes, Resolution: D1, Half D1, CIF, MPEG4, 4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)		6,950,000
122	KGuard KG-2480 DVR CaptureCard (Video 16, Audio 16 Cha)-(Display 400, Recording 400fps) Interface:PCI, ADC: 10bit, TVout: yes, Resolution: D1, Half D1, CIF, MPEG4, 4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)		8,700,000
123	KGuard KG-3240 DVR CaptureCard (Video 8, Audio 8 Cha)-(Display 200, Recording 200fps) Interface: PCI, ADC: 10bit, Resolution: CIF/2CIF/D1,H264, (HardwareCompression)Maxrecordingrate: 400fps with 2cards		7,800,000
124	KGuard KG-3480 DVR CaptureCard (Video 16, Audio 16 Cha)-(Display 400, Recording 400fps) Interface: PCI, ADC: 10bit, Resolution: D1, Half D1, CIF, H264, (HardwareCompression)Maxrecordingrate: 800fps with 2cards		12,500,000
125	KGuard KG-Looping Card (V16) Ch (IN from KG Capture Card)16CH Video Output		900,000
126	KGuard KG-DID DIDO Card 4 inputs / 3 relay outputs-RS232 / RS485 interface Converter		750,000
Bracket & Lens			
127	KGuard BK-0512 Wall Mount bracket for KG 20M Weather Proof Camera		50,000

۱۲۸	KGuard BK-0810 Aluminum Wall Mount Bracket for IR 30-80M Weatherproof Camera		۸۰,۰۰۰
۱۲۹	KGuard BK-1609R ABS Plastic Wall mount bracket for KG Standard and IR 30 -50M Watherporof Camera		۵۰,۰۰۰
۱۳۰	KGuard SBK-0100 Outdoor Wall Mount for Speed Dome W: 190mm		۳۰۰,۰۰۰
۱۳۱	KGuard BK-0201 Pendant Mount for Speed Dome H: 200mm		۲۵۰,۰۰۰
۱۳۲	KGuard SBK-0102 Outdoor Wall Mount for Speed Dome W: 390mm		۴۰۰,۰۰۰
۱۳۳	KGuard SBK-0202 Pendant Mount for Speed Dome H: 500mm		۳۰۰,۰۰۰
۱۳۴	KGuard LV14-ID2810 F1.4, Auto Iris(DC), f=2.8mm~10mm		۵۰۰,۰۰۰
۱۳۵	KGuard LV14-ID3508 F1.4, Auto Iris(DC), f=3.5mm~8.0mm		۴۰۰,۰۰۰
۱۳۶	KGuard LV18-ID50100 F1.8, Auto Iris(DC), f=5.0mm~100mm		۱,۱۰۰,۰۰۰
۱۳۷	KGuard LV16-ID6060 F1.6, Auto Iris(DC), f=6.0mm~60mm		۷۰۰,۰۰۰
۱۳۸	KGuard LF16-IF040 F1.6, f=4.0 (DC), f=4mm		۱۰۰,۰۰۰

139	KGuard HT-1110-B HOUSING CAMERA With Out Fan & Heter		۲۵۰,۰۰۰
140	KGuard HT-1110-B HOUSING CAMERA With Fan & Heter		۴۰۰,۰۰۰
141	KGuard Mini microphone		۱۲۵,۰۰۰

Twisted Pair Video Blocker

142	KGuard VGA1440 Used in monitoring equipment, medical analysis, and engineering scheme. Easy to use and simple to install ,No monitor compatible issue. No PC required. No software required. Supports NTSC/ PAL systems (Auto-detect). Can receive signal input		۵۲۰,۰۰۰
143	KGuard AV-1600 Supports high quality HDTV by Y.Cb.Cr video outputs Resolution up to 1600 x 1200 Auto save the user configuration Simultaneous display on TV and VGA monitor Power from USB or PS/2 port, no power adaptor needed.		۵۲۰,۰۰۰
144	KGuard mini microphone		۱۲۵,۰۰۰
145	KGuard VSP-0503 Network Surge Protection Device, RJ45 Jack to RJ45 Jack		۵۲۰,۰۰۰
146	KGuard VSP-0502 Coaxial Surge Protection Device BNC Connector, BNC male to BNC female. Hi Frequency for both CCTV and CATV use.		۲۸۰,۰۰۰
147	KGuard VSP-0501 UTP VideoSurge Protection Device RJ45 Connector, RJ45 Jack to RJ45 Jack		۲۸۰,۰۰۰
148	KGuard KG TPT111 Video Transceiver BNC Male to RJ45 Female with Power Cord		۱۸۰,۰۰۰
149	KGuard KG TPT111-J Video Transceiver BNC Male to RJ45 Female with Power Cord		۲۸۰,۰۰۰

150	KGuard KG TPT111-P Video Transceiver BNC Male to RJ45 Female with Power Cord		۲۸۰,۰۰۰
151	KGuard KG TPT111-PD Video Transceiver BNC Male to RJ45 Female with Power Cord		۲۵۰,۰۰۰
152	KGuard KG TPT444PD 4x FEMALE RJ45 TO 4x FEMALE BNC, POWER JACK, DATA		۴۸۰,۰۰۰
153	KGuard KG DF111-E DF111T, DF111R special design for block theinterference from electromagnetic wave, highvoltage electricity, wireless station, elevators, heavy power on industry,...etc.		1,1۵۰,۰۰۰
154	KGuard KG DG112 Hi Performance Video Ground Loop Isolator Serie (DG-112) Hi Performance Coacial Video Ground Loop Isolator		۴۵۰,۰۰۰
155	KGuard KG-DPG111 Video Ground Loop Isolator Series (DPG-111), Coaxial Video Ground Loop Isolator built in Video BALUN		۳۰۰,۰۰۰
156	KGuard KG-DP111 Video Transformer Filter Series (DP-111), Video Transformer Filter for DVR		۲۵۰,۰۰۰