

# لیست محصولات امنیتی [irancctv.ir](http://irancctv.ir)

**KGuard Security Camera KIT!**

**SH-132M**  
Mobile DVR for Vehicle

**KGuard® 4-Channel Mobile DVR**

**NEW!**

صفحه	فهرست مطالب
1	IP Surveillance & Solution
2	CCTV Camera - IP - Speed Dome Indoor & Outdoor
3	CCTV Camera - IP - Solution
4	CCTV Camera - Speed Dome
5	CCTV Camera - Box Type & DIY KIT
6	CCTV Camera - Dome & Specialty
7	CCTV CAMERA – IR Weatherproof Type
8	Standalone DVR & DIY KIT
9	Embedded DVR System
10	DVR Capture Card
11	Accessories (Bracket , Housing & Lens )

**کلیه کالاها دارای یکسال گارانتی تعویض و پنج سال خدمات پس از فروش می باشد**



ردیف	شرح	نمای محصول	
1	<p><a href="#"><u><b>KGuard CMS 1000 PRO Software</b></u></a>                      Designed for control center ( singlesite ),128 chs cameras central monitoring, User friendly interface, E-MAP MULTI levels. PTZ control by IE integrated with Kguard entire series DVR, Event List</p>		
2	<p><a href="#"><u><b>KGuard CMS-2000 Server Hardware</b></u></a>                      Multi-Site &amp; monitoring, Hybrid system integration platforms Video Conference, E-MAP, MULTI levels,web_based interface,PTZ Control &amp; Multi-view over IEE security, Providing 24 hour remote video monitoring in a day</p>		
3	<p><a href="#"><u><b>KGuard CMS 3000 Standard-32Ch Software</b></u></a>                      32 server Standard Version (with 2 client keypro free bundled)                      Control 32 Servers, support up to 512 CH                      The extra client keypro will be charged for ..... per pcs</p>	<p align="right"><b>NEW!</b></p> 	
4	<p><a href="#"><u><b>KGuard CMS 3000 Standard-128Ch Software</b></u></a>                      128 server Standard Version (with 8 client key pro free bundled)                      Control 128 Servers, support up to 2048 CH                      The extra client keypro will be charged for ..... per pcs</p>	<p align="right"><b>NEW!</b></p> 	
5	<p><a href="#"><u><b>KGuard KG Access Contorol Keeperll</b></u></a>                      web-based server with full remote management capability,Online Monitoring, System Usage Log List,General Raw Data Download, Remote Door Control,User Friendly</p>		
6	<p><a href="#"><u><b>KGuard Backup Center</b></u></a>                      Storage capacity monitoring,Centralized Remote Backup solution, Efficient Data Management, System &amp; Efficient Data, Retrieval, Smart Event Data Search,Time Specified Data Search</p>		
7	<p><a href="#"><u><b>KGuard AC KEPPER II Server</b></u></a>                      Web-based Interface,Remote Site management,Universal Access,Time &amp; Attendance, Interating with DVR System,Embedded in Mobile DVR, Smart application functions</p>		
8	<p><a href="#"><u><b>KG IVS SOFTWARE (904A)</b></u></a>                      Smart Monitoring Intelligent Video Analyze with 6 different applications</p>		

ردیف	شرح	نمای محصول	
9	<p><b><a href="#">KGuard NVR 300 PRO-16 Network Video Recorder</a></b> ( NVR 16 chs Pro ) Software only</p>		
10	<p><b><a href="#">KGuard NVR 300 PRO-25 Network Video Recorder</a></b> ( NVR 25 chs Pro ) Software only</p>		
11	<p><b><a href="#">KGuard NVR 300 PRO-36 Network Video Recorder</a></b> ( NVR 36 chs Pro ) Software only</p>		
12	<p><b><a href="#">KGuard NVR 300 Standard-16 Network Video Recorder</a></b> ( NVR 16 chs Pro ) Software only</p>		
13	<p><b><a href="#">KGuard ISP-236SO</a></b> <b>Outdoor IP_Speed Dome 36X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&amp;N(Day&amp;Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD &amp; WDR, RS-485, 360 panning rotation, <b>24VAC 3A</b></p>		
14	<p><b><a href="#">KGuard ISP-218SO</a></b> <b>Outdoor IP_Speed Dome 18X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&amp;N(Day&amp;Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD &amp; WDR, RS-485, 360 panning rotation, <b>24VAC 3A</b></p>		
15	<p><b><a href="#">KGuard ISP-236SO-T</a></b> <b>Auto Objet Tracking</b> <b>Outdoor IP_Speed Dome 36X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&amp;N(Day&amp;Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD &amp; WDR, OT, RS-485, 360 panning rotation, <b>24VAC 3A</b></p>		
16	<p><b><a href="#">KGuard ISP-218SO-T</a></b> <b>Auto Objet Tracking</b> <b>Outdoor IP_Speed Dome 18X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&amp;N(Day&amp;Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD &amp; WDR, OT, RS-485, 360 panning rotation, <b>24VAC 3A</b></p>		

ردیف	شرح	نمای محصول	
17	<p><a href="#">KGuard IB-201SP</a> </p> <p><b>IP_Box Type Standard Color Box (520TVL)</b> 1/3 Sony super HAD CCD/ H.264/520TVL, C/CS Ring lens ICR/ DIDO/ PoE/ Indoor Use, 2way-Audio, Bracket Optional, <b>12VDC 0.5A</b></p>		
18	<p><a href="#">KGuard IU200SP-6</a> </p> <p><b>IP_IR Type Weatherproof Camera, 25MFixed (420TVL)</b> 1/3 Sony super HAD CCD/ H.264, Lens: 6.0mm fixed lens POE/ IR LED 8Ø IR LED x 14pcs, IR Distance 25 meter/DIDO/ IP66, <b>12VDC 1A</b></p>		
19	<p><a href="#">KGuard ISP-3652-16</a></p> <p><b>IP_IR Type Weatherproof IP Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 35 IR LED's Visibility Range: 50 meter, <b>12VDC 2A</b></p>		
20	<p><a href="#">KGuard ISP-3654-16</a></p> <p><b>IP_IR Type Weatherproof IP Camera, (520TVL)</b> 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 35 IR LED's Visibility Range: 50 meter, <b>12VDC 2A</b></p>		
21	<p><a href="#">KGuard ISP-3015</a></p> <p><b>IP_IR Dome Type Vari-Focal IP Camera, (480TVL)</b> 1/3" Sony Super HAD CCD, 3.7-12mm Auto Iris Lens, Lux 0.05, AGC,AWB, BLC, EE, 2-Axis, 120mm dome size, <b>12VDC 1A</b></p>		
22	<p><a href="#">KGuard IA-209SP</a> </p> <p><b>IP_Dome Type IR Vari-Focal ,Vandal Camera (550TVL)</b> SONY 1/3" Hi-Res HAD CCD sensor; VANDAL PROOF IR DOME CAMERA VF 3.7~12mm (ICR), LED:24 LEDs, <b>12VDC 1A</b></p>		
23	<p><a href="#">KGuard IMM2605-6</a> </p> <p><b>IP_IR Type Weatherproof Camera, 30MFixed (1.3Mega pixel )</b> Video Encoder H.264, MPEG4 and Motion JPEG simultaneously (Tri-encoders) IR30M (High-Light LED 56pcs), PoE/ IP66 / 2way-Audio/DIDO,</p>		
24	<p><a href="#">KGuard IMM2304</a> </p> <p><b>IP_Dome Vandal PT Camera (1.3Mega pixel )</b> Video Encoder H.264, MPEG4 and Motion JPEG simultaneously (Tri-encoders) Lens (f:4.3mm F:1.8)/ Pan Degree 355° ; Tilt Degree -10~90° PoE/2way-Audio/ Vandal Proof/DIDO</p>		
25	<p><a href="#">KGuard IMM2203</a> </p> <p><b>IP_IR Dome Type Weatherproof Camera, 30MFixed (1.3Mega pixel )</b> 1.3Mega pixel Progressive Sensor/ H.264, 3.7-12mm/ Varicocal Lens F1.4~F2.8 DIDO/ PoE/ IP66 / 2way-Audio/ Vandal Proof</p>		
26	<p><a href="#">KGuard IMM2202</a> </p> <p><b>IP_Dome Type Camera, (1.3Mega pixel )</b> Video Encoder H.264, MPEG4 and Motion JPEG simultaneously (Tri-encoders) Lens (f:4.3/ F:1.8)/PoE/ Indoor/ 2way-Audio/DIDO</p>		

ردیف	شرح	نمای محصول	
27	<a href="#">KGuard S236SOP</a> <b>Outdoor Speed Dome 36X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, <b>24VAC 3</b>		
28	<a href="#">KGuard S218SOP</a> <b>Outdoor Speed Dome 18X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, <b>24VAC 3A</b>	 	
29	<a href="#">KGuard S236SOP-T</a> <b>Auto Objet Tracking</b> <b>Outdoor Speed Dome 36X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, <b>24VAC 3A</b>		
30	<a href="#">KGuard S218SOP-T</a> <b>Auto Objet Tracking</b> <b>Outdoor Speed Dome 18X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, <b>24VAC 3A</b>		
31	<a href="#">KGuard S236SCP</a> <b>Ceiling Speed Dome 36X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, <b>24VAC 3A</b>		
32	<a href="#">KGuard S218SCP</a> <b>Ceiling Speed Dome 18X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, RS-485, 360 panning rotation, <b>24VAC 3A</b>	 	
33	<a href="#">KGuard S236SCP-T</a> <b>Auto Objet Tracking</b> <b>Ceiling Speed Dome 36X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, <b>24VAC 3A</b>		
34	<a href="#">KGuard SSP-218SC-T</a> <b>Auto Objet Tracking</b> <b>Ceiling Speed Dome 18X Optical Zoom (480TVL),</b> 1/4" Sony EX-view HAD CCD, D&N(Day&Night), ( Bracket Optional ) IR Cut Removal (ICR), OSD & WDR, OT, RS-485, 360 panning rotation, <b>24VAC 3A</b>		
35	<a href="#">KGuard TSP-320IR</a> <b>Indoor Mini PT Dome IRCamera (420 TVL), With I/O, IR 15M</b> 1/3" Sony Super HAD CCD, PT Dome ( Pan 355, tilt 90 ), 32 preset point, <b>12VDC 1A</b>		
36	<a href="#">KGuard TSP-320</a> <b>Indoor Mini PT Dome Camera (420 TVL),</b> 1/3" Sony Super HAD CCD, PT Dome ( Pan 355, tilt 90 ), 32 preset point., <b>12VDC 1A</b>		
37	<a href="#">KGuard TSP-330</a> <b>Indoor Mini PT Dome Camera (480 TVL),</b> 1/3" Sony Super HAD CCD, PT Dome ( Pan 355, tilt 90 ), 32 preset point., <b>12VDC 1A</b>		

ردیف	شرح	نمای محصول	
38	<p><a href="#">KGuard ZSP-2720</a>  <b>Zoom Type, 27x Optical Power Zoom Lens, (420TVL)</b>            1/4"Sony Super HAD CCD, Day&amp;Night, Lux 0.8, Focus (AF/MF), OSD,RS-485 (Pelco-D), AGC,AWB, 3.9 to 97.2mm Auto Iris Exposure, BLC On/Off , <b>12VDC 1A,</b></p>		
39	<p><a href="#">KGuard ZSP-2730</a>   <b>Zoom Type, 27x Optical Power Zoom Lens, (480TVL)</b>            1/4"Sony Super HAD CCD, Day&amp;Night, Lux 0.8, Focus (AF/MF), OSD,RS-485 (Pelco-D), AGC,AWB, 3.9 to 97.2mm Auto Iris Exposure, BLC On/Off , <b>12VDC 1A,</b></p>		
40	<p><a href="#">KGuard CSP-2120</a>  <b>Box Type Day &amp; Night Color (420TVL)</b>            1/3"Sony Ex view HAD CCD,C/CSLensMount, Lux 0.03, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off, <b>12VDC 0.5A</b></p>		
41	<p><a href="#">KGuard CSP-2130</a>  <b>Box Type Day &amp; Night Color (480TVL)</b>            1/3"Sony Ex view HAD CCD,C/CSLensMount, Lux 0.03, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off, <b>12VDC 0.5A</b></p>		
42	<p><a href="#">KGuard CSP-3120</a>  <b>Box Type Standard Color Box (420TVL)</b>            1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.8, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off, <b>12VDC 0.5A</b></p>		
43	<p><a href="#">KGuard CSP-3120A</a> <b>With Audio</b>   <b>Box Type Standard Color Box (420TVL)</b>            1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off, <b>12VDC 0.5A</b></p>		
44	<p><a href="#">KGuard CSP-3130</a>  <b>Box Type Standard Color Box (480TVL)</b>            1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off, <b>12VDC 0.5A</b></p>		
45	<p><a href="#">KGuard CSP-3130A</a> <b>With Audio</b>   <b>Box Type Standard Color Box (480TVL)</b>            1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off, <b>12VDC 0.5A</b></p>		
46	<p><a href="#">KGuard CSP-3140</a>  <b>Box Type Standard Color Box (520TVL)</b>            1/3"Sony Super HAD CCD,C/CSLensMount, Lux 0.5, ALC (Video/DC), AGC,On(Low)/Off(High) , AWB On/Off ,EE/AI Switch, BLC On/Off, <b>12VDC 0.5A</b></p>		
47			

ردیف	شرح	نمای محصول	
48	<a href="#">KGuard CSP-3242-3</a> <b>Dome Type Color Indoor Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 3.6mm Fixed Lens, Lux 0.8, AGC,AWB, BLC, EE, 100mm dome size, <b>12VDC 0.5A</b>		
49	<a href="#">KGuard CSP-3252-49</a> <b>Dome Type Vari-Focal Indoor Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 4-9mm Auto Iris Lens , Lux 0.1, AGC,AWB, BLC, EE, 2-Axis, 150mm dome size, <b>12VDC 1A</b>		
50	<a href="#">KGuard CSP-3254-49</a> <b>Dome Type Vari-Focal Indoor Camera, (520TVL)</b> 1/3" Sony Super HAD CCD, 3-9mm Auto Iris Lens, Lux 0.05, AGC,AWB, BLC, EE, 2-Axis, 150mm dome size, <b>12VDC 1A</b>		
51	<a href="#">KGuard CSP-3262-3B</a> <b>Dome Type Infrared Indoor Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 3.6mm Lens, AGC, AWB, BLC, EE, 120mm dome size, 18 IR Led's Visibility Range: 15-20 meter, <b>12VDC 1A</b>		
52	<a href="#">KGuard CSP-3522-3</a> <b>Dome Type IR Vandal Camera, (420TVL)</b> 1/3"Sony Super HAD CCD, 3.6mm Lens, AGC, AWB, BLC, EE, 120mmdomesize, 23 IR LED's Visibility Range: 20 meter, <b>12VDC 1A</b>		
53	<a href="#">KGuard CSP-3524-3</a> <b>Dome Type IR Vandal Camera, (520TVL)</b> 1/3"Sony Super HAD CCD, 3.6mm Lens, AGC, AWB, BLC, EE, 120mmdomesize, 23 IR LED's Visibility Range: 20 meter, <b>12VDC 1A</b>		
54	<a href="#">KGuard CSP-3532-49</a> <b>Dome Type IR Vandal&amp;Vari Focal Camera, (420TVL)</b> 1/3"Sony Lens Super HAD CCD, 4-9mm Lens, AGC, AWB, BLC, EE, 120mm dome size 36 IR LED's, Vari- focal Visibility, Range: 30 meter, <b>12VDC 1A</b>		
55	<a href="#">KGuard CSP-3534-49</a> <b>Dome Type IR Vandal&amp;Vari Focal Camera, (520TVL)</b> 1/3"Sony Lens Super HAD CCD, 4-9mm Lens, AGC, AWB, BLC, EE, 120mm dome size 36 IR LED's, Vari- focal Visibility, Range: 30 meter, <b>12VDC 1A</b>		
56	<a href="#">KGuard CSP-3231-3P</a> <b>Specialty Type Smoke Detector Camera, (420TVL)</b> 1/3" Sony Color CCD Sensor , 3.6mm Pinhole Lens, Lux 0.8, AGC,AWB, BLC, EE, 120mm dome size, <b>12VDC 0.5A</b>		
57	<a href="#">KGuard CSP-3232-3</a> <b>Specialty Type Smoke Detector Camera, (420TVL)</b> 1/3" Sony Color CCD Sensor , 3.6mm Pinhole Lens, Lux 0.8, AGC,AWB, BLC, EE, 120mm dome size, <b>12VDC 0.5A</b>		
58	<a href="#">KGuard CHP-5321-3P</a> <b>Specialty Type Miniature Metal Case, (420TVL)</b> 1/4" SHARP Color CCD Camera with Audio, 3.7mm Pinhole Lens, Built-in Microphone, <b>12VDC 0.5A</b>		
59	<a href="#">KGuard CSP-3320-3</a> <b>Specialty Type Miniature Metal-Case, (420TVL)</b> 1/3" Sony Color CCD Sensor 3.6mm Board Lens, Installed board lens, <b>12VDC 0.5A</b>		
60	<a href="#">KGuard CHP-5710</a> <b>Specialty Type Weatherproof Bullet CCD, (420TVL)</b> 1/4" Sharp CCD, 3.6mm Lens, Lux 1.0,AGC, AWB, BLC, EE, Weatherproof, 68mm X 27mm size w/ Bracket, <b>12VDC 0.5A</b>		

ردیف	شرح	نمای محصول	
61	<a href="#">KGuard CSP-3622-3</a> <b>IR Type Weatherproof Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 3.6mm Lens, AGC,AWB,BLC,EE, 24 IR LED's Visibility Range: 20 meter, <b>12VDC 1A</b>		
62	<a href="#">KGuard CSP-3624-3</a> <b>IR Type Weatherproof Camera, (520TVL)</b> 1/3" Sony Super HAD CCD, 3.6mm Lens, AGC,AWB,BLC,EE, 24 IR LED's Visibility Range: 20 meter, <b>12VDC 1A</b>		
63	<a href="#">KGuard CSP-3642-6</a> <b>IR Type Weatherproof Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 6mm Lens, AGC,AWB,BLC,EE, 54 IR LED's Visibility Range: 40 meter, <b>12VDC 1A</b>		
64	<a href="#">KGuard CSP-3644-6</a> <b>IR Type Weatherproof Camera, (520TVL)</b> 1/3" Sony Super HAD CCD, 6mm Lens, AGC,AWB,BLC,EE, 54 IR LED's Visibility Range: 40 meter, <b>12VDC 1A</b>		
65	<a href="#">KGuard CSP-3642-49V</a> <b>IR Type Weatherproof Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 4.9mm VARI FOCAL Lens, AGC,AWB,BLC,EE, 36 IR LED's Visibility Range: 40 meter, <b>12VDC 1A</b>		
66	<a href="#">KGuard CSP-3644-49V</a> <b>IR Type Weatherproof Camera, (520TVL)</b> 1/3" Sony Super HAD CCD, 4.9mm VARI FOCAL Lens, AGC,AWB,BLC,EE, 36 IR LED's Visibility Range: 40 meter, <b>12VDC 1A</b>		
67	<a href="#">KGuard CSP-3652-16</a> <b>IR Type Weatherproof Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 35 IR LED's Visibility Range: 50 meter, <b>12VDC 2A</b>		
68	<a href="#">KGuard CSP-3654-16</a> <b>IR Type Weatherproof Camera, (520TVL)</b> 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 35 IR LED's Visibility Range: 50 meter, <b>12VDC 2A</b>		
69	<a href="#">KGuard CSP-3682-16</a> <b>IR Type Weatherproof Camera, (420TVL)</b> 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 12 IR LED's Visibility Range: 80 meter, <b>12VDC 2A</b>		
70	<a href="#">KGuard CSP-3684-16</a> <b>IR Type Weatherproof Camera, (520TVL)</b> 1/3" Sony Super HAD CCD, 16mm Lens, AGC,AWB,BLC,EE, 12 IR LED's Visibility Range: 80 meter, <b>12VDC A</b>		

ردیف	شرح	نمای محصول	
71	<p><a href="#">KGuard KG-SHA104</a>  <b>Standalone DVR (Video 4, Audio 1 Cha)-( Display 100, Recording 100fps)</b>  <b>H.264 Recording</b>, Integrated, Support 1SATA, max. 1TB HDD                      10/100 base T Ethernet, USB Back UP, VGA Output sup</p>		
72	<p><a href="#">KGuard KG-SHA108</a>  <b>Standalone DVR (Video 8, Audio 1 Cha)-( Display 200, Recording 200fps)</b>  <b>H.264 Recording</b>, Integrated, Support 1 SATA, max. 1TB HDD                      10/100 base T Ethernet, USB Back UP, VGA Output sup</p>		
73	<p><a href="#">KGuard KG-SHA116</a>  <b>Standalone DVR (Video 16, Audio 4 Cha)-( Display 400, Recording 400fps)</b>  <b>H.264 Recording</b>, Integrated, Support 2 SATA, max. 4TB; w/o HDD                      10/100 base T Ethernet, USB Back UP, VGA Output sup ( DVD-RW Optional )</p>		
74	<p><a href="#">KGuard KG-SH122</a>  <b>Standalone DVR (Video 4, Audio 1 Cha)-( Display 100, Recording 100fps)</b>  <b>H.264 Recording</b>, Smart Search, Integrated, Support 1SATA, max. 2TB HDD                      10/100 base T Ethernet, USB Back UP, VGA Output sup</p>		
75	<p><a href="#">KGuard KG-SH322</a>  <b>Standalone DVR (Video 9, Audio 4 Cha)-( Display 200, Recording 200fps)</b>  <b>H.264 Recording</b>, Smart Search, Integrated, Support 3 SATA, max. 6TB; w/o HDD                      10/100 base T Ethernet, USB Back UP, VGA Output sup ( DVD-RW Optional )</p>		
76	<p><a href="#">KGuard KG-SH522</a>  <b>Standalone DVR (Video 16, Audio 4 Cha)-( Display 400, Recording 200fps)</b>  <b>H.264 Recording</b>, Smart Search, Integrated, Support 3 SATA, max. 6TB; w/o HDD                      10/100 base T Ethernet, USB Back UP, VGA Output sup ( DVD-RW Optional )</p>		
77	<p><a href="#">KGuard Combo Kit KG-CA104-H0250</a>  <b>Standalon DVR SHA104, 4Chanel Real Time</b>                      Camera *4 With bracket pcs, Adapter *1 pcs,                      Slim Type 18 M * 4 pcs, 1 to 4 Cable *1 pcs,</p>		
78	<p><a href="#">KGuard Combo Kit KG-CA108-H0250</a>  <b>Standalon DVR SHA108, 8Chanel Real Time</b>                      Camera *4 With bracket pcs, Adapter *1 pcs,                      Slim Type 18 M * 4 pcs, 1 to 4 Cable *1 pcs,</p>		
78	<p><a href="#">KGuard Combo Kit KG-CA108-H0350</a>  <b>Standalon DVR SHA108, 8Chanel Real Time</b>                      Camera *8 With bracket pcs, Adapter *2 pcs,                      Slim Type 18 M * 8 pcs, 1 to 4 Cable *2 pcs,</p>		
79	<p><a href="#">KGuard KG-SH132M</a> <b>GPS receiver +GPS-Y-Cable for GPS position tracking</b>  <b>Standalone DVR Car (Video 4, Audio 2 Cha)-( Display 100, Recording 100fps)</b>  <b>H.264 Recording</b>, Smart Search, Integrated, GPSMain, HDD 500Gb SATA sup                      10/100 base T Ethernet,SD CARD OR USB</p>		

ردیف	شرح	نمای محصول	
80	<p><a href="#"><u>KGuard P3200-2480D Embedded DVR System (V16-A16) Ch (D400-R400 fps)</u></a>                      Resolution:D1, Half D1, CIF, MPEG-4 Like Software Compression,                      OS: Windows XP Embedded OS License(DOM),                      P4 Intel Core 2 Duo E2160 LGA 775, 2Gb, Industrial 4U Size,</p>		
81	<p><a href="#"><u>KGuard P3200-3480D Embedded DVR System (V16-A16) Ch (D400-R400 fps)</u></a>                      Resolution:D1, Half D1, CIF, H.264Hardware Compression,                      OS: Windows XP Embedded OS License(DOM),                      P4 Intel Core 2 Duo E6400 LGA 775, 2Gb, Industrial 4U Size,</p>		
82	<p><a href="#"><u>KGuard P3200-3480H Embedded DVR System (V32-A32) Ch (D800-R800 fps)</u></a>                      Resolution:D1, Half D1, CIF, H.264Hardware Compression,                      OS: Windows XP Embedded OS License(DOM),                      P4 Intel Core 2 Duo E6400 LGA 775, 2Gb, Industrial 4U Size,</p>		
83	<p><a href="#"><u>KGuard P6000-2480D Hot-Swap DVR System (V16-A16) Ch (D400-R400 fps)</u></a>                      14hot-swappable SATA HDD for data storage,                      Resolution:D1, Half D1, CIF, MPEG-4 Like Software Compression,                      OS: Windows XP Embedded</p>		
84	<p><a href="#"><u>KGuard P6000-3480D Hot-Swap DVR System (V16-A16) Ch (D400-R400 fps)</u></a> 14hot-swappable SATA HDD for data storage,                      Resolution:D1, Half D1, CIF, H.264Hardware Compression,                      OS: Windows XP Embedded OS Lic</p>		
85	<p><a href="#"><u>KGuard P6000-3480H Hot-Swap DVR System (V32-A32) Ch (D800-R800 fps)</u></a>                      14 hot-swappable SATA HDD for data storage,                      Resolution:D1, Half D1, CIF, H.264Hardware Compression,                      OS: Windows XP, Embedded OS</p>		
86	<p><a href="#"><u>KGuard KB-2000 (3A)</u></a>  <b>LCD Display and Joystick control (3-axis)</b>                      Menu driven user configuration, password protected, Max distance up to 500m.                      Controls up to 256 DVR or Speed Dome, via RS485 connection.</p>		
87	<p><a href="#"><u>KGuard VS1114 (Built WLAN)</u></a>  <b>1 ch Video Server + bundle 16</b>                      PoE/ Mpeg4 /3GPP, MPEG4/ MJPEG Simultaneously,                      RS485 for molor dome control</p>		
88	<p><a href="#"><u>KG IVS IPC SERVER (904A)</u></a>  <b>IVS SERVER DVR (Video 4, Audio 4 Cha)-( Display 100, Recording 100fps)</b>                      MPEG-4 Recording, Smart Monitoring Intelligent Video Analyze                      with 6 different applications</p>		

ردیف	شرح	نمای محصول	
89	<p><a href="#">KGuard KG-901A</a>  <b>DVR CaptureCard (Video 4, Audio 1 Cha)-( Display 25, Recording 25fps)</b>                      Interface: PCI, ADC: 9bit, Resoltion: D1, Half D1, CIF, MPEG4,                      4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)</p>		
90	<p><a href="#">KGuard KG-902A</a>  <b>DVR CaptureCard (Video 4, Audio 2 Cha)-( Display 50, Recording 50fps)</b>                      Interface: PCI, ADC: 9bit, Resoltion: D1, Half D1, CIF, MPEG4,                      4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)</p>		
91	<p><a href="#">KGuard KG-904A</a>  <b>DVR CaptureCard (Video 4, Audio 4 Cha)-( Display 100, Recording 100fps)</b>                      Interface: PCI, ADC: 9bit, Resoltion: D1, Half D1, CIF, MPEG4,                      4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)</p>		
92	<p><a href="#">KGuard KG-904B</a>  <b>DVR CaptureCard (Video 8, Audio 4 Cha)-( Display 100, Recording 100fps)</b>                      Interface: PCI, ADC: 9bit, Resoltion: D1, Half D1, CIF, MPEG4,                      4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)</p>		
93	<p><a href="#">KGuard KG-908</a>  <b>DVR CaptureCard (Video 8, Audio 8 Cha)-( Display 200, Recording 200fps)</b>                      Interface: PCI-E, ADC: 9bit, Resoltion: CIF/D1,MPEG4,                      4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)</p>		
94	<p><a href="#">KGuard KG-2240</a>  <b>DVR CaptureCard (Video 16, Audio 16 Cha)-( Display 400, Recording 200fps)</b>                      Interface:PCI, ADC: 10bit, TVout: yes, Resoltion: D1, Half D1, CIF, MPEG4,                      4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)</p>		
95	<p><a href="#">KGuard KG-2480</a>  <b>DVR CaptureCard (Video 16, Audio 16 Cha)-( Display 400, Recording 400fps)</b>                      Interface:PCI, ADC: 10bit, TVout: yes, Resoltion: D1, Half D1, CIF, MPEG4,                      4 Sensor In / 3 Alarm Out via optional-DIOCard (K -DIO Card)</p>		
96	<p><a href="#">KGuard KG-3240</a>  <b>DVR CaptureCard (Video 8, Audio 8 Cha)-( Display 200, Recording 200fps)</b>                      Interface: PCI, ADC: 10bit, Resoltion: CIF/2CIF/D1,H264,                      (HardwareCompression)Maxrecordingrate: 400fps with 2cards</p>		
97	<p><a href="#">KGuard KG-3480</a>  <b>DVR CaptureCard (Video 16, Audio 16 Cha)-( Display 400, Recording 400fps)</b>                      Interface: PCI, ADC: 10bit, Resoltion: D1, Half D1, CIF, H264,                      (HardwareCompression)Maxrecordingrate: 800fps with 2cards</p>		
98	<p><a href="#">KGuard KG-Looping Card</a>  <b>( V16 ) Ch (IN from KG Capture Card )16CH Video Output</b></p>		
99	<p><a href="#">KGuard KG-DIO</a>  <b>DI/DO Card 4 inputs / 3 relay outputs-RS232 / RS485 interface Converter</b></p>		

ردیف	شرح	نمای محصول	
100	<a href="#">KGuard BK-0612</a> Wall Mount bracket for KG 20M Weather Proof Camera		
101	<a href="#">KGuard BK-0810</a> Aluminum Wall Mount Bracket for IR 30-80M Weatherproof Camera		
102	<a href="#">KGuard BK-1609R</a> ABS Plastic Wall mount bracket for KG Standard and IR 30 -50M Watherporof Camera		
103	<a href="#">KGuard SBK-0100</a> Outdoor Wall Mount for Speed Dome W: 190mm		
104	<a href="#">KGuard BK-0201</a> Pendant Mount for Speed Dome H: 200mm		
105	<a href="#">KGuard SBK-0102</a> Outdoor Wall Mount for Speed Dome W: 390mm		
106	<a href="#">KGuard SBK-0202</a> Pendant Mount for Speed Dome H: 500mm		
107	<a href="#">KGuard LV14-ID2810</a> F1.4, Auto Iris(DC), f=2.8mm~10mm		
108	<a href="#">KGuard LV18-ID50100</a> F1.8, Auto Iris(DC), f=5.0mm~100mm		
109	<a href="#">KGuard LV16-ID6060</a> F1.6, Auto Iris(DC), f=6.0mm~60mm		
110	<a href="#">KGuard LF16-IF040</a> F1.6, f=4.0 (DC), f=4mm		
111	<a href="#">KGuard HUSING</a> HOUSING CAMERA With Out Fan & Heter		
112	<a href="#">KGuard HUSING B&amp;H</a> HOUSING CAMERA With Fan & Heter		
113	<a href="#">KGuard</a> Mini Microphone		

ردیف	شرح	نمای محصول	
126	<a href="#">KGuard KTCP111VPJ-L (DC JACK)</a> Twist pair transmitter Video, Power Transmission with Pigtail Version		
127	<a href="#">KGuard KTCP111VP-L (DC PLUG)</a> Twist pair transmitter Video, Power Transmission with Pigtail Version		
128	<a href="#">KGuard KTCP111VL2</a> Twist pair transmitter Video Transceiver with 30cm Mini Coax Cable ( one pair )		
129	<a href="#">KGuard KTCP111VPD-RJ45</a> Twist pair transmitter Video, Power, Data Transceiver (RJ45 Termination)		
130	<a href="#">KGuard KTCP444VPD</a> Twist pair transmitter 4 Channel Video, Power, Data Transceiver		
131	<a href="#">KGuard KTCP414V</a> Twist pair transmitter 4 Channel Video Transceiver		
132	<a href="#">KGuard KTTA111VT</a> Long Range Twisted Pair Transmission System Active Series Active Video Twist Pair Transmission		
133	<a href="#">KGuard KTTA111VR</a> Long Range Twisted Pair Transmission System Active Series Active Video Twist Pair Transmission		
134	<a href="#">KGuard KTTA111AVT</a> Long Range Twisted Pair Transmission System Active Series Active Video & Audio & Data Twist Pair Transmission		
135	<a href="#">KGuard KTTA111AVR</a> Long Range Twisted Pair Transmission System Active Series Active Video & Audio & Data Twist Pair Transmission		
136	<a href="#">KGuard KTTA111VH</a> Long Range Twisted Pair Transmission System_Active Receiver with Extra Interference Rejection		
137	<a href="#">KGuard KTTA414VR</a> Long Range Twisted Pair Transmission System Active Series 4 Channel Active Receiver Hub		
138			
139			

ردیف	شرح	نمای محصول	
140	<a href="#">KGuard VSP-0501</a> Coaxial Surge Protection Device BNC Connector. BNC male to BNC female. Hi Frequency for both CCTV and CATV use.		
141	<a href="#">KGuard VSP-0502</a> UTP Video Surge protection Device RJ45 Connector. RJ45 Jack to RJ45 Jack.		
142	<a href="#">KGuard VSP-0503</a> Network Surge Protection Device, RJ45 Jack to RJ45 Jack		
143	<a href="#">KGuard VSP0501VP</a> Network Surge Protection Device, RJ45 Jack to RJ45 Jack		
144	<a href="#">KGuard KG DG111</a> Hi Performance Video Ground Loop Isolator Serie (DG-111) Hi Performance Coacial Video Ground Loop Isolator		
145	<a href="#">KGuard KG DG112</a> Hi Performance Video Ground Loop Isolator Serie (DG-112) Hi Performance Coacial Video Ground Loop Isolator		
146	<a href="#">KGuard KG-DPG111</a> Video Ground Loop Isolator Series (DPG-111), Coaxial Video Ground Loop Isolator built in Video BALUN		
147	<a href="#">KGuard KG-DP111</a> Video Transformer Filter Series (DP-111), Video Transformer Filter for DVR		
148	<a href="#">KGuard KG DF111-E</a> DF111T, DF111R special design for block theinterference from electromagnetic wave, highvoltage electricity, wireless station, elevators,heavy power on industry,...etc.		
149	<a href="#">KGuard VGA1440</a> Used in monitoring equipment, medical analysis, and engineering scheme. Easy to use and Simple to install ,No monitor compatible issue. No PC required. No software required. Supports NTSC/ PAL systems (Auto-detect). Can receive signal input		
150	<a href="#">KGuard AV-1600</a> Supports high quality HDTV by Y.Cb.Cr video outputs Resolution up to 1600 x 1200 Auto save the user configuration Simultaneous display on TV and VGA monitor Power from USB or PS/2 port, no power adaptor needed.		
151	<a href="#">KGuard KGA-400</a> Supports high quality HDTV by Y.Cb.Cr video outputs, Resolution up to 1600 x 1200 Auto save the user configuration, Simultaneous display on TV and VGA monitor Power from USB or PS/2 port, no power adaptor needed.		
152			